

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	35	PSEUDO-RANDOM WITH SYNTHESIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:06
L3	2	PSEUDO-RANDOM WITH CIRCUIT WITH SYNTHESIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:06
L4	10	(PSEUDO-RANDOM SAME (CIRCUIT WITH SYNTHESIS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:07
L6	3	(PSEUDO-RANDOM SAME (CIRCUIT WITH SYNTHESIS)).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:07
L7	151	(CIRCUIT WITH SYNTHESIS) AND (PSEUDO WITH RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:11
L8	10	(CIRCUIT WITH SYNTHESIS) WITH (PSEUDO WITH RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:08
L9	1	("380"/\$).CCLS. AND (CIRCUIT WITH SYNTHESIS) WITH (PSEUDO WITH RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:08
L11	4	("380"/\$).CCLS. AND SYNTHESIS WITH (PSEUDO WITH RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:10
L13	1738	("380"/\$).CCLS. AND (PSEUDO WITH RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:10
L14	1348	("380"/\$).CCLS. AND (PSEUDO-RANDOM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:10

L15	5	("380"/\$).CCLS. AND (PSEUDO-RANDOM) AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:10
L16	6	("380"/\$).CCLS. AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:10
L17	167	(380/268).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:11
L18	4	(380/268).CCLS. AND SYNTHESIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:11
L19	215	("380"/\$).CCLS. AND SYNTHESIS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:11
L20	6	("380"/\$).CCLS. AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:12
L21	0	("713"/\$).CCLS. AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:12
L22	59	(TRANSFORMATION WITH INPUT WITH OUTPUT WITH SIGNAL).TI.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:13
L28	23465	(pseudo with random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:15
L29	48	(automatic with netlist with generation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:15

L30	23465	(pseudo with random) and l28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:15
L31	5	l29 and l28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:17
L34	102	database and (pseudo with random with number with generators)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:19
L35	486	cryptograph\$ with l28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:20
L36	2	(concatenating with block with output with signals)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:21
L37	121	(method with transformation with ((input and output) with signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 19:22